System X Renew Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. Issue date: 08/18/2020 Revision date: 08/18/2020 Version: 1.0

SECTION 1: Identification			
1.1. Identification			
	: Mixture		
	: System X Renew		
Product code	: SXRENEW		
1.2. Recommended use and restrictions of	n use		
Use of the substance/mixture	: Surface protectant/surfactant		
1.3. Supplier			
Manufacturer ELEMENT 119 LLC 10 Marine St #3, Thomaston, CT 06787 USA T 1 860-358-0119 www.element119.com			
1.4. Emergency telephone number			
Emergency number	: 1 703-741-5500 (CHEMTREC CCN 852792)		
SECTION 2: Hazard(s) identification			
2.1. Classification of the substance or mix	cture		
GHS US classification			
Not classified			
2.2. GHS Label elements, including preca	utionary statements		
GHS US labeling			
No labeling applicable			
2.3. Other hazards which do not result in	classification		
No additional information available			
2.4. Unknown acute toxicity (GHS US)			
Not applicable			
SECTION 3: Composition/Information	on ingredients		
3.1. Substances			
Not applicable			
3.2. Mixtures			
		Des des étides étéres	
Name 2-Butoxyethanol		Product identifier (CAS-No.) 111-76-2	% < 2
*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret			
	auon nave been withinett as a trate secret		
SECTION 4: First-aid measures			

4.1. Description of first aid measures	
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	 If skin irritation occurs: Wash skin with plenty of water. Obtain medical attention if irritation persists.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if presen and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.
4.2. Most important symptoms and effective statements and effective sta	fects (acute and delayed)
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: May cause skin irritation. Repeated exposure may cause skin dryness or cracking.
08/18/2020	EN (English US) Page 1

System X Renew

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

ccording to the Hazard Communication Standard (CFR29	1910.1200) HazCom 2012.
Symptoms/effects after eye contact	May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/effects after ingestion	May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
.3. Immediate medical attention and spec	ial treatment, if necessary
	if you feel unwell, seek medical advice immediately (show the label where possible).
ECTION 5: Fire-fighting measures	
.1. Suitable (and unsuitable) extinguishin	g media
Suitable extinguishing media	Carbon dioxide (CO2), dry chemical powder, foam.
Insuitable extinguishing media :	None known.
.2. Specific hazards arising from the cher	nical
ire hazard :	Products of combustion may include, and are not limited to: oxides of carbon.
.3. Special protective equipment and pre-	cautions for fire-fighters
Protection during firefighting	Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).
SECTION 6: Accidental release measu	ires
6.1. Personal precautions, protective equi	pment and emergency procedures
General measures :	Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
5.1.1. For non-emergency personnel	
lo additional information available	
6.1.2. For emergency responders	
No additional information available	
2. Environmental precautions	
Prevent entry to sewers and public waters.	
.3. Methods and material for containment	t and cleaning up
	Stop leak if safe to do so. Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or
	sewer system. Wear recommended personal protective equipment.
Nethods for cleaning up :	Sweep or shovel spills into appropriate container for disposal.
.4. Reference to other sections	
For further information refer to section 8: "Exposure	e controls/personal protection"
SECTION 7: Handling and storage	
1. Precautions for safe handling	
Precautions for safe handling :	Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Do not breathe dust, fume, gas, mist, spray, vapors. Wear personal protective equipment.
Hygiene measures :	Wash contaminated clothing before reuse. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities
Storage conditions :	Keep out of the reach of children. Keep container tightly closed. Protect from freezing. Store in a cool, dry well ventilated place.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-Butoxyethanol (111-76-2)		
ACGIH	Local name	2-Butoxyethanol (EGBE)
ACGIH	ACGIH TWA (ppm)	20 ppm
ACGIH	Remark (ACGIH)	TLV® Basis: Eye & URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI
ACGIH	Regulatory reference	ACGIH 2020

System X Renew

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

2-Butoxyethanol (111-76-2)		
OSHA	OSHA PEL (TWA) (mg/m³)	240 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	50 ppm
OSHA	Limit value category (OSHA)	prevent or reduce skin absorption
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
IDLH	US IDLH (ppm)	700 ppm
NIOSH	NIOSH REL (TWA) (mg/m ³)	24 mg/m ³
NIOSH	NIOSH REL (TWA) (ppm)	5 ppm
NIOSH	US-NIOSH chemical category	SK: SYS-DIR(IRR) Apr 2011

8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls : Ensure good ventilation of the work station.: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Wear suitable gloves

Eye protection:

Safety glasses or goggles are recommended when using product.

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and chemical properties			
Physical state	: Liquid		
Appearance	: White liquid.		
Color	: White		
Odor	: Slight aromatic		
Odor threshold	: No data available		
рН	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: No data available		
Flash point	: > 95 °C (> 199 °F), does not flash		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability (solid, gas)	: Not flammable.		
Vapor pressure	: No data available		
Relative vapor density at 20 °C	: No data available		
Relative density	: No data available		
Solubility	: No data available		
Partition coefficient n-octanol/water	: No data available		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		

System X Renew Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

Other information 9.2.

No additional information available

SECTION 10: Stability and reactivity			
10.1.	Reactivity		
No dangerous reactions known under normal conditions of use.			
10.2.	Chemical stability		
Stable under normal conditions.			
10.3.	Possibility of hazardous reactions		
No dan	gerous reactions known under normal conditions of use.		
10.4.	Conditions to avoid		
Heat. Incompatible materials.			
10.5.	Incompatible materials		
Oxidizir	ng agents. Acids. Bases.		
10.6.	Hazardous decomposition products		
May inc	clude, and are not limited to: oxides of carbon.		

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	

2-Butoxyethanol (111-76-2)		
LD50 oral rat	470 mg/kg	
LD50 dermal rat	220 mg/kg	
LC50 inhalation rat	2.35 mg/l	
LC50 inhalation rat	486 ppm/4h	
ATE US (oral)	470 mg/kg body weight	
ATE US (dermal)	220 mg/kg body weight	
ATE US (gases)	486 ppmV/4h	
ATE US (vapors)	2.35 mg/l/4h	
ATE US (dust, mist)	2.35 mg/l/4h	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
2-Butoxyethanol (111-76-2)		
IARC group	3 - Not classifiable	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
2-Butoxyethanol (111-76-2)		
STOT-single exposure	May cause respiratory irritation.	

STOT-repeated exposure	: Not classified	
Aspiration hazard Viscosity, kinematic	: Not classifed : No data available	
08/18/2020	EN (English US)	4/6

System X Renew Safety Data Sheet according to the Hazard Communication S

unication Standard (CER29 1910 1200) HazCom 2012 ac

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.			
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.		
Symptoms/effects after skin contact	May cause skin irritation. Repeated exposure may cause skin dryness or cracking.		
Symptoms/effects after eye contact	 May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. 		
Symptoms/effects after ingestion	 May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea. 		
Other information	Likely routes of exposure: ingestion, inhalation, skin and eye.		
SECTION 12: Ecological information			
12.1. Toxicity			
Ecology - general	May cause long-term adverse effects in the aquatic environment.		
2-Butoxyethanol (111-76-2)			
LC50 fish 1	1490 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])		
EC50 Daphnia 1	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
LC50 fish 2	2950 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)		
12.2. Persistence and degradability			
System X Renew			
Persistence and degradability	Not established.		
12.3. Bioaccumulative potential			
System X Renew			
Bioaccumulative potential	Not established.		
2-Butoxyethanol (111-76-2)			
Partition coefficient n-octanol/water	0.81 (at 25 °C)		
12.4. Mobility in soil			
No additional information available			
12.5. Other adverse effects			
Other information	No other effects known.		
SECTION 13: Disposal considerations			
13.1. Disposal methods			
Product/Packaging disposal recommendations	 Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. 		
SECTION 14: Transport information			
Department of Transportation (DOT)			
In accordance with DOT			
Not applicable			
SECTION 15: Regulatory information 15.1. US Federal regulations			
· · · · · · · · · · · · · · · · · · ·	led from listing, on the United States Environmental Protection Agency Toxic Substances Control		
Act (TSCA) inventory			
15.2. International regulations			
No additional information available			
15.3. US State regulations			
California Proposition 65 - This product does not c reproductive harm	ontain any substances known to the state of California to cause cancer, developmental and/or		

SECTION 16: Other information		
Issue date	: 08/18/2020	
Revision date	: 08/18/2020	
08/18/2020	EN (English US)	5/6

System X Renew

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Other information

: None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.